

HARO®

Quality Flooring

- **Hamberger Flooring GmbH & Co.** German market leader for parquet with 140 years of woodworking.
- The group of products is exported to more than 90 countries around the world.




PARQUET

modern
house

HARO®

Quality Flooring

- The product range comprises: laminate floors, & Engineered Wood.
- More than different types of wood: from light to dark, from expressive to calm, so you never have to make any compromises.



PARQUET

modern
house

ADVANTAGES

Brand Name Quality	Extensive Product Line Diversity (full guaranteed).	High Durability: <ul style="list-style-type: none"> • UV High resistance Aqua Shield double Moisture • Protection Under floor heating compatible 	Easy Glue less Installation.(Clickable)
Market Leader	Wood Sourced	Special, resilient insulation called the "Forest Floor"	Awarded the Blue Angel environmental mark for environmentally safe manufacture
High Level of Experience (More than 100 years)	Hard Wearing, Easy Care Surface finishes.	Optimum Indoor & Outdoor Installation (Via Pro insulation layer).	Special cleaning Products.

TYPES OF HARO

Laminate


- Laminate floor coverings is a modern wood based product which makes an alternative to the traditional flooring.
- They are offered in several collections varying as far as colors, surface texture, base board thickness, or abrasion class are concerned.)



PARQUET

TYPES OF HARO

Laminate Specifications



- Double moisture protection & best quality combination: aquaTec[®] & aquaResist[®] systems
- Exists in 2 series of thickness:
 - Tritty 75: 7mm / Ac3
 - Tritty 100: 8mm / AC4

TYPES OF HARO

Real/Engineered Wood

Real Wood Floor is a long strip design which offers a large choice, a deliberate vibrancy and an amazing variety.

- Real Wood leads in implementation to ensure Real Wood floor are correctly identified such as:
 - ✓ Long strip
 - ✓ Plank-1Strip
 - ✓ Toscana
- More than 20 different types of wood, from light to dark from “Wenge” to African Oak

TYPES OF HARO

Real/Engineered Wood Specifications



Layer Construction(Surface high finishes)

- **Permadur**: natural matt finish
- **Biotec**: oil/wax finish
- **NaturaLin**: Plus natural oil surface

1. Precious wood wear layer:

- a) With HARO PARQUET 4000 approx; 3.5 mm (1/8").
- b) With HARO PARQUET 2500 approx; 2.5 mm (3/32").

2. Middle layer:

Solid spruce finger strips with annual rings, glued without intervals. The results: Optimal shrink behavior, the parquet keeps its shape.


3. Bottom veneer: made of softwood

PARQUET

HARO'S FORMATS SPECS



LONG STRIP: 180x2,200 mm




PLANK 1-STRIP: 180x2,200 mm



CARRÉ: 180x2,200 mm



TOSCANA: 120x1,000 mm



STRIP PRESTIGE: 120x1,000 mm



STRIP SINFONIE: 120x1,000 mm



STRIP ALLEGRO: 70x500 mm